

## TRANSMITTAL

Electronic Version v1.1

Stylesheet Version v1.1.0

<b>Title of Invention</b>	A METHOD AND SYSTEM FOR FORMING A PASSIVATED METAL LAYER		
<p>Application Number : </p> <p>Date : </p> <p>First Named Applicant: Hideaki Yamasaki</p> <p>Confirmation Number: </p> <p>Attorney Docket Number: RAJ025</p>			
<p>I hereby certify that the use of this system is for OFFICIAL correspondence between patent applicants or their representatives and the USPTO. Fraudulent or other use besides the filing of official correspondence by authorized parties is strictly prohibited, and subject to a fine and/or imprisonment under applicable law.</p> <p>I , the undersigned, certify that I have viewed a display of document(s) being electronically submitted to the United States Patent and Trademark Office, using either the USPTO provided style sheet or software, and that this is the document(s) I intend for initiation or further prosecution of a patent application noted in the submission. This document(s) will become part of the official electronic record at the USPTO.</p>			
Submitted By:	Elec. Sign.	Sign. Capacity	
Kristi L. Davidson Registered Number: 44643	/Kristi L. Davidson/		Attorney

<b>Documents being submitted:</b>	<b>Files</b>
us-request	RAJ025-usrequ.xml us-request.dtd us-request.xsl
us-fee-sheet	RAJ025-usfees.xml us-fee-sheet.xsl us-fee-sheet.dtd
us-ids	RAJ025-usidst.xml us-ids.dtd us-ids.xsl
application-body	application.xml application-body.dtd Image1.tif Image2.tif Image3.tif Image4.tif Image5.tif isoamsa.ent isoamsb.ent isoamsc.ent isoamsn.ent isoamso.ent isoamsr.ent isobox.ent isocyr1.ent isocyr2.ent isodia.ent isogrk1.ent isogrk2.ent isogrk3.ent isogrk4.ent isolat1.ent isolat2.ent isomfrk.ent isomopf.ent isomscr.ent isonum.ent isopub.ent isotech.ent mathml2.dtd mathml2-qname-1.mod mmlalias.ent mmlextra.ent soextblk.dtd us-application-body.xsl wipo.ent
application-body-pdf-wrap	application-pdf-wrap.xml
abstract-pdf	application-abst.pdf
claims-pdf	application-clms.pdf
description-pdf	application-desc.pdf

**Comments**

--